



## ISOSTATIC BEARING LIMITED



3312 E Bearing 2D drawings and 3D CAD models

2.362 Inch | 60 Millimeter x 5.118 Inch | 130  
Millimeter x 2.126 Inch | 54 Millimeter SKF 3312 E  
Angular Contact Ball Bearings

Bearing No. 3312 E

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	3.05
EAN	7316573933908
Product Group	B00152
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	60MM Bore; 130MM Outside Diameter; 54MM Width; Open; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot;



## ISOSTATIC BEARING LIMITED

	No Snap Ring; C0-Medium; Steel Cage; 30 Degree; 1 (Single)
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	3312 E
Weight / LBS	6.7174
d	2.362 Inch   60 Millimeter
D	5.118 Inch   130 Millimeter
B	2.126 Inch   54 Millimeter
bore diameter:	60 mm
radial static load capacity:	143 kN
outside diameter:	130 mm
operating temperature range:	257 ° F
overall width:	54 mm
cage material:	Steel
contact angle:	30 °
maximum rpm:	4800 rpm
row type & fill slot:	Double-Row Filling Slot
finish/coating:	Uncoated
bore type:	Round
fillet radius:	2.1 mm
closure type:	Open
weight:	7.30 lbs
bearing material:	Steel
manufacturer upc number:	7316573933908
radial dynamic load capacity:	134 kN



# ISOSTATIC BEARING LIMITED